


THE POWER OF AGILE NETWORK VISIBILITY


SOLUTION PORTFOLIO BROCHURE



Our Solutions

Niagara Networks[™] solutions enable NetOps and SecOps teams to easily and efficiently operate and administer multiple security tools and platforms with service scale and flexibility, while reducing operational expenses and downtime.

Niagara Networks™ provides all the building blocks for an advanced Visibility Adaptation Layer at multiple data rates up to 100Gb, through offering packet brokers, bypass elements, network TAPs and a unified management layer. We design, develop and manufacture our products in Silicon Valley, USA.





Network Packet Broker



Network Bypass



Niagara CloudRay



Network TAP



Open Visibility



Visibility Orchestration



SSL TLS



Best-in-class performance



Leading vendor in the network visibility market



Customizations that are made quickly and without hassle




NETWORK PACKET BROKER

Niagara's Packet Brokers deliver access to network data to NetOps & SecOps to enable detection, investigation and response to threats in real-time. Our NPB solutions are enhanced by a comprehensive Technology Alliance Program with world-class technology leaders and deployed in the world's most prominent networks.

BENEFITS

- ✓ Pay as you grow options for best application fit
- ✓ High Density optimized for more services per minimal rack space
- ✓ High Versatility mix and match a wide. range of interfaces and network speeds for any tool
- ✓ Intelligent traffic management enabled by FabricFlow™ technology

- √ Field-proven in carrier-grade inline cyber security applications
- ✓ Field-proven for passive out-of-band inspection and analysis applications
- Centralized ease of use auto discovery and visibility clustering via Niagara's Visibility Controller (NVC)



Full spectrum of advanced network packet brokers optimized and adaptable for superior edge-to-edge visibility applications




The combination of in-line security solutions with Niagara Networks Bypass technology provides transparent inline full threat prevention without compromising reliability of the network and mission-critical services. Our platforms enable ultimate flexibility and service integrity to allow you to take down a security tool for maintenance, with the load balancing scheme automatically redistributing traffic to the remaining tools.



Niagara Networks' 3808E multifunctional Hybrid Packet Broker solution supports one of the highest 40/100Gb segment densities available on the market today.

The solution increases dramatically operational efficiency and the high availability of complex inline cybersecurity tools.

- ✓ Design carrier-grade always-on inline security stack in a complex multi-vendor scenario
- √ 400% higher density of bypass segments per single rack space for 40/100Gb networks versus other alternatives
- ✓ Simplified deployment as a single modular hybrid platform with low TCO
- ✓ Pay-as-you go economical model with a modular solution that offers a hybrid packet broker, bypass, and TAP for all interface speeds 1/10/25/40/100Gb
- ✓ Automation of fail-safe scenarios via REST API for unconstrained network security architecture





BYPASSP2[™]

Extensive Bypass Solution for Any Use Case - all rates up to 100G

BypassP2 - Advanced Carrier-Grade Bypass Switches

Product model	1G	10G	25G	40Gb	100Gb
2825	•	•		•	•
3808E	•	•	•	•	•
2814 / 2818	•	•			
3299 TT	•				
3299	•				

In addition to bypass functionality, the hybrid NPB/Bypass increases efficiency by setting load balancing schemes to cover all traffic and maintaining a flow-aware policy.

Load balancing between similar inline devices allows you to utilize existing network security tools (with lower processing performance), to handle higher capacity network links. For example: if your tool supports up to 10G and you want to upgrade your network to 100G, you can load balance your traffic to multiple tools.

Ultimate flexibility and service integrity allows you to take down a security tool for maintenance and the load balancing scheme will automatically redistribute the traffic to the remaining tools.




"Your security is only as good as your visibility and availability... 543321107




With increasing transition to data center and cloud based environments, IT teams find it challenging to use traditional monitoring tools for traffic visibility. Physical taps are unsuitable for virtual environments since they cannot monitor East-West and inter-VM traffic. Moreover, they cannot track VMs when moved across hypervisors. Niagara Networks' CloudRay-vTAP is a software solution that addresses these challenges, providing complete visibility of VM traffic in virtual computing environments, be it Private, Public or Hybrid clouds.

BENEFITS

- ✓ Enables 100% visibility of Virtual Machines traffic
- ✓ Supports high-performance VM traffic up to 10Gbs
- ✓ Supports VLAN, VXLAN and GRE tunnelling
- ✓ Supports KVM, VMware ESXi, NSX and Microsoft Hyper-V
- ✓ Ultra-high granular view of packet flows from any TAP use cases
- ✓ Supports Amazon EC2, Microsoft Azure and Google GCP cloud services








NETWORK TAP


Niagara Networks bypass switches have active TAP functionality built-in and have additional ports to feed the tapped traffic to reporting tools or a packet broker. Niagara Networks fixed and modular bypass switches offer active TAP functionality for speeds up to 100Gb. Both passive and active TAPs are offered, along with a wide range of supported connectors and fiber types.



Niagara Products Offering - TAP Functionality

Flexibility and multipurpose offering for various use cases

Product model	1G	10G	25G	40Gb	50Gb	100Gb	400Gb
Passive TAP							
3225	•	•	•	•		•	•
Active TAP							
3808E	•	•	•	•		•	
3299	•						
4248-6C	•	•	•	•		•	
4540	•	•	•	•		•	





OPEN VISIBILITY PLATFORM™



ChannelVision Magazine has recognized Niagara Networks as a winner in the Visionary Spotlight Awards for Cybersecurity for its breakthrough in bringing much-needed agility and flexibility to security teams.

Media's Security Today, the leading industry media has recognized the Open Visibility Platform as a winner in the CyberSecured Award for Enterprise Security category as a leading solution in the transformation of cybersecurity.

Niagara Network's Open Visibility Platform enables carrier-grade agile security deployment with hyper-converged packet brokering for pervasive network visibility. Serving as an open deployment hub, the Open Visibility Platform hosts any networking or security solutions directly on the Network Packet Broker appliance and provides them with the appropriate, pre-processed, and decrypted network traffic to deliver comprehensive content visibility and control to SecOps. The Open Visibility Platform brings new value to channel partners in deploying security solutions faster and easierwith less threat of internal roadblocks.

Open Visibility Platform- the Power of Agile Visibility

Niagara's Open Visibility Platform (OVP) is the flexible deployment hub for cutting edge applications, Giving you the freedom to choose and spin-up the best solution for your SecOps and NetOps needs. Integrated intelligent switching fabric capabilities empowered by visibility intelligence ensure that the solution will get the right traffic in the right way, without further encumbering the operations of deploying a new solution.

Address the NetOps and SecOps Challenge


The ability to deploy a security or a networking solution in the network has been a long, complicated process - one of the least agile. Niagara's Open Visibility Platform brings security and network operations together, so security and networking teams can focus on common objectives instead of operating independently with different goals. The platform removes the restrictions of deploying new network technologies and can host any virtualized solution, old or new. It can also accommodate proprietary solutions and ad-hoc solutions used temporarily for testing purposes. Open Visibility Platform brings a higher level of agility to security and offers the optimal choice built on the principles of digital transformation to delive optimal benefits to the visibility layer.

"New Security Realities
Demand Next-Generation
Visibility - There are several
ways in which the Open
Visibility Platform brings
security and network
operations together, so
security and networking
teams can focus on
common objectives instead
of operating independently
with different goals"

-ZK RESEARCH-



OPEN VISIBILITY PLATFORM™



Open Visibility Platform Benefits To Visibility Layer

Freedom to choose

Not tied to closed garden offerings of a particular vendor.

Deployment Hub

Enables agility and flexibility by providing a deployment hub to easily host and serve multiple security and networking solutions. The deployment hub is a high performance/high reliability appliance that meets stringent demands for the core networking reliability, scalability and performance required by networking teams.

Getting the Right Traffic the Right Way

Intelligently deliver traffic and configure policies and rules to establish traffic flows to and from solutions. Determine the logical sequence of traffic being sent to the hosted applications as needed. Policies, actions and traffic steering can be triggered to address host application failure and failover conditions.

Deep Traffic Intelligence and Processing

Powerful combination of traffic intelligence and data processing. Processing utility functions, such as deduplication and decryption performed within OVP secure and low latency domain - carrying out these tasks centrally on a visibility platform can boost performance of individual security apps or devices.

Security Tool Chaining

The platform enables intelligent tool chaining, which is important for establishing the order of security operations. There has to be logical sequencing and management of network security. For example, a web or application firewall should be in a path before an intrusion detection system (IDS) or an intrusion prevention systems (IPS), and each must be treated differently. In addition, network requirements can be upheld to ensure performance and availability and prevent solutions from impairing the network. This way, IT can stay one step ahead of potential problems or blind spots as the environment changes.

"The optimal choice is an open and unrestricted visibility platform that can accommodate any solution without compromising network operations. Only a platform built on the principles of digital transformation can deliver. A new visibility platform is emerging that brings a higher level of agility to security. The Open Visibility Platform from Niagara Networks is an open, network packet brokerbased platform that works as an intelligent cross-connect and can host and manage any third-party security solutions that run on it"

> -ZK RESEARCH-Resource link




NETWORK VISIBILITY ORCHESTRATION

Single-pane of glass for the visibility layer is a critical mechanism for Network and Security Operations (NetSecOps) to enable them to locate, isolate, and provision network visibility solutions for performance and network security related applications. In today's fast-paced, digital-first ecosystem, complete visibility is vital in maintaining control of your network and eliminating (or at least minimizing) blind spots and infrastructure downtime. Niagara's Network Visibility Controller (NVC) is that single pane of glass. It is an enterprise-wide unified SDN manager for network visibility.

BENEFITS

- ✓ Visibility Groups Logical containers of visibility elements tailored to your needs
- √ Topology and Navigation A 360° view of the network connectivity to single element view
- ✓ Granularity Topology of port status, configurations, and device schematics
- ✓ The NVC empowers a true applicationaware network to manage and improve the performance of business-critical devices and applications



The NVC provides network
operations teams with a
powerful point-and-click
graphical tool to quickly and
seamlessly provision and
manage visibility infrastructure
via a centralized platform





SSL/TLS DECRYPTION

SSL/TLS decryption is part of Niagara Networks Open Visibility Platform architecture with foundation around the Packetron[™] process acceleration module and the N2 series Bypass and Packet Broker appliance, providing advanced visibility intelligence functionality such as SSL/TLS decryption, Data masking, Packet slicing, and deduplication amongst others.

The Open Visibility Platform's visibility virtualization enables hosting of third-party applications which can be deployed reliably in-line or out-of-band.

BENEFITS

- ✓ Deep visibility into encrypted data traffic
- ✓ Powerful combination of decryption platform and the on-board resident 3rd party security & network applications, delivering a cyber threat detection multiplier
- ✓ Seamless support for network TAP, or inline bypass deployments on the same platform
- ✓ Encrypted traffic can be collected from multiple interfaces from 1GbE up to 100GbE

- ✓ Decrypted traffic packet brokering to multiple tools based on policy rules – decrypt once, use many and various intelligent packet manipulations (masking, filtering, steering and more)
- ✓ Off load / minimize performance hit for individual tools



Niagara Networks
comprehensive solutions
enable three universal
use cases for decryption
visibility as part of its
extensive visibility
intelligence toolkit






MOBILE SUBSCRIBER-AWARE VISIBILITY

Mobile networks involve a large amount of data traffic and numbers of subscribers. The different cybersecurity & traffic analysis tools will usually struggle to process a large number of endpoints effectively.

Niagara Networks solution deployed in mobile Evolved Packet Core (EPC) to perform an intelligent inspection of the control plane to identify subscriber data sessions and to link them to specific user plane (data) traffic itself. Niagara Networks platform defines this process as a mobile subscriber correlation. The Open Visibility Platform empowered by mobile subscriber-aware traffic intelligence enables advanced correlation between the subscriber identifiers and attributes, and the subscriber actual data streams as they occur throughout each subscriber's life-cycle usage on the mobile network.

BENEFITS

- ✓ Enables 100% visibility of mobile and wireline converged networks to ensure security posture across mobile domain
- ✓ Highly flexible mobile traffic intelligence to efficiently operate and optimize traffic analysis
- ✓ Advanced traffic filtering, packet slicing, packet deduplication, and application layer inspection
- ✓ Collecting packet-level analysis from Radio Access Network (RAN) via physical and virtual TAPs
- ✓ Inline appliance protection in EPC for carriergrade high availability and uninterrupted network uptime
- ✓ Ease of use and operational efficiency NVC point & click single pane of glass for visibility provisioning and orchestration





Niagara Networks - Product Matrix

				Hybrid Bypass				Passive TAP
Product	4540	4248-6C	4272	3808E	3299	3299TT	3296	3225³
Packet Broker Functionalities								
Flow Mapping	•	•	•	•	•	•		
Service Chaining	•	•	•	•	•	•		
Network Visibility	•	•	•	•	•	•		
Advanced Load Balancing	•	•	•	•	•	•		
Tunnel Termination	•	•	•					
Actionable Application Intelligence ¹	•	•						
Open Visibility ¹	•	•						
Bypass Protection								
Active inline Bypass Protection				•	•	•		
Passive inline Bypass Protection								
Tapping								
Passive Optical TAP								•
Active Inline TAP				•	•	•		
Port Density								
Max 1Gb ports	10	48	72	48	24	8	32	36 (48) ²
Max 10Gb ports	10	48	72	48	4	4	32	36 (48) ²
Max 25Gb ports	8	48		48			32	36 (48) ²
Max 40Gb ports	28	6		32			32	24
Max 50Gb ports							32	36 (48) ²
Max 100Gb ports	30	8		32			32	36 (48) ²
Max 400Gb ports								36 (48) ²
Port Type								
1G SFP	•	•	•	•	•	•		
10G SFP+	•	•	•	•	•	•		
25G SFP28	•	•		•				
40G QSFP	•	•		•				
100G QSFP28	•	•		•				
Physical Specifications								
Rack units	1RU	1RU	1RU	1RU	1RU	Table Top	1RU	1RU
Modular				•	•		•	•

¹Functions are part of the Open Visibility Platform

²using fan-out cable

³TAP segments per chassis

Niagara Networks Advanced Visibility Features

	Advance flow mapping:	
Network Visibility	 Aggregate traffic to a single port Replicate traffic to multiple ports Load Balance traffic flow across multiple egress ports Sophisticated L2-L4 filtering and User Defined Byte (UDB) filtering Ingress and egress filtering, internal traffic loopback for efficient creation of sophisticated multi-level filters Filter templates for rapid deployment and filter re-use Tunnel Handling: GTP, GRE, MPLS, VXLAN, VLAN Multiple flexible load balancing regimes Layer 2 to layer 4 hashing criteria port utilization based load balancing Session stickiness Virtual bypass segments for advanced service chaining Port configuration for listen-only, transmit-only, and bi-directional deployment All ports can be ingress and egress port simultaneously MAC header rewrite 	
Actionable Application Intelligence	 Packet Slicing Advanced Flow Slicing Deduplication Netflow generation IPfix generation L7 / Application Layer filtering Data Masking GTP Header Stripping Correlated and uncorrelated GTP load balancing SSL/ TLS decryption Regular Expression searching, filtering and masking Generic header stripping Netflow generation for tunnelled traffic Packet reassembly Packet reordering Load balancing of tunnelled traffic In-Tunnel traffic filtering Load balancing on In-Tunnel fields 	
Open Visibility	 NFV virtual application hosting in Niagara Open Visibility Platform Open architecture to host ^{3rd} party and home-grown virtual applications integrated into virtual packet broker functions 	•

